

**IN THE CLAIMS:**

*Please amend the claims as follows:*

1. (currently amended) A method for indicating speech-enabled input for multimodal interaction in an electronic device having a user interface, comprising: activating a multimodal user interaction feature of said user interface in which at least one key input option and at least one voice input option is provided, displaying the at least one key input option on a display of said electronic device, ~~characterized by~~ checking, if at least one condition ~~generally affecting~~ that could possibly interfere with voice input is fulfilled, and providing said at least one voice input option and displaying indications of said voice input options on said display according to said condition.
2. (currently amended) ~~A~~The method according to claim 1, wherein said displayed indications of voice input options comprise keywords.
3. (currently amended) ~~A~~The method according to claim 2, wherein said displaying of indications of said voice input options on said display further comprises displaying if a speech recognition is actually possible.
4. (currently amended) ~~A~~The method according to claim 1, wherein said displaying of indications of voice input options comprises displaying said voice input options.
5. (currently amended) ~~A~~The method according to claim 1, wherein said displaying of indications of said voice input options on said display, is provided with a hysteresis so as to prevent said displaying of indication from making fast changes.

6. (currently amended) ~~A~~The method according to claim 1, wherein said displaying of indications of said voice input options on said display is provided with a backlog function.
7. (currently amended) A software tool comprising program code ~~means~~ stored on a computer readable medium for carrying out the method of claim 1, when said software tool is run on a computer or network device.
8. (currently amended) A computer program product comprising program code ~~means~~ stored on a computer readable medium for carrying out the method of claim 1, when said program product is run on a computer or network device.
9. (currently amended) A computer program product comprising program code, downloadable from a server and stored on a computer readable medium, for carrying out the method of claim 1, when said program product is run on a computer or network device.
10. (currently amended) An electronic device ~~capable of executing multimodal interactive browsing~~, comprising:
  - a central processing unit ~~CPU (80)~~,
  - a display ~~(82)~~ connected to said ~~CPU (80)~~ central processing unit, to display visual content received from said ~~CPU (80)~~ central processing unit on said display ~~(82)~~,
  - a key-based input system ~~(84, 84')~~ operably connected to said ~~CPU (80)~~ central processing unit, to provide a key input feature providing key input options displayed on said display ,
  - a microphone ~~(86)~~ operably connected to said ~~CPU (80)~~ central processing unit, to provide a voice input feature, and
  - a data bus ~~(90)~~, operably connected to said ~~CPU (80)~~ central processing unit, to handle data and to exchange data required for the operation of the ~~CPU (80)~~ central processing unit,

wherein said ~~CPU (80)~~ central processing unit is configured to control multimodal interaction ~~interactive browsing~~ via said display ~~(82)~~, said key based input system ~~(84, 84')~~ and said microphone ~~(86)~~, and

wherein said ~~CPU (80)~~ central processing unit is configured to monitor conditions that ~~affect~~ could possibly interfere with said voice input, and to provide said voice input feature and display an indication of a voice input option of said voice input feature on said display ~~(82)~~ according to said condition.

11. (currently amended) ~~A~~ The electronic device according to claim 10, further comprising a mobile communication device.

12. (currently amended) A speech recognition system capable of multimodal interaction ~~and having a user interface~~, comprising:

a user interface,

at least one central processing unit ~~CPU (80)~~,

a display ~~(82)~~ connected to said ~~CPU (80)~~ central processing unit,

a key-based input system ~~(84, 84')~~ operably connected to said ~~CPU (80)~~ central processing unit, to provide a key input feature providing key input options displayed on said display,

a microphone ~~(86)~~ operably connected to said at least one central processing unit ~~(80)~~,

a data bus ~~(84)~~, operably connected to said at least one ~~CPU (80)~~ central processing unit, to handle data and to exchange data required for the operation of the said at least one ~~CPU (80)~~ central processing unit,

wherein a first central processing unit ~~(84)~~ of said at least one ~~CPU (80)~~ central processing unit is configured to control multimodal interaction via said display ~~(82)~~, said key based input system ~~(84, 84')~~ and said microphone ~~(86)~~ and to monitor conditions that ~~affect~~ could possibly interfere with said voice input and to control and display an indication of a voice input option of said voice input feature on said display ~~(82)~~ according to said condition, and

wherein a second central processing unit ~~(84')~~ of said at least one ~~CPU (80)~~ central processing unit is configured to provide said voice input feature.

13. (currently amended) AThe system according to claim 12, wherein the first central processing unit-~~(84)~~ and the second central processing unit-~~(84')~~ are comprised in the same device-~~(77)~~.
14. (currently amended) AThe system according to claim 12, wherein the first central processing unit-~~(84)~~ and the second central processing unit-~~(84')~~ are comprised in different interconnected devices-~~(78, 79)~~.
15. (new) An electronic device comprising:  
means for processing,  
means, connected to said means for processing, for displaying visual content received from said means for processing,  
means, operably connected to said means for processing, for a key input feature providing key input options displayed on said means for displaying,  
means, operably connected to said means for processing, for providing a voice input feature, and  
means, operably connected to said means for processing, for handling data and to exchange data required for the operation of the means for processing,  
wherein said means for processing is configured for controlling multimodal interactive browsing via said means for displaying, said means for providing a key input feature and said means for providing a voice input, and  
wherein said means for processing is configured for monitoring conditions that could possibly interfere with said voice input, and for providing said voice input feature and for displaying an indication of a voice input option of said voice input feature on said means for displaying according to said condition.